


AMENDMENTS TO THE CLAIMS:

Please amend claims 13 and 22 as follows. This listing of claims replaces all prior versions and listings of claims in the application.

LISTING OF CLAIMS:

1. (Original) A compound having the formula :



wherein:

- R¹ is hydrogen, F, Cl, or C₁-C₃ aliphatic;
R² is selected from the group of hydrogen, F, Cl, Br, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic ;
R³ and R⁴ each independently is selected from the group of hydrogen, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, C₁-C₄ heteroaliphatic, optionally substituted aryl and heteroaryl;
R⁵ and R⁶ each independently is selected from the group of hydrogen, F, Cl, OR¹⁰, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic;
R⁷ and R⁸ each independently is selected from the group of hydrogen, F, Cl, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic; or
R⁷ and R⁸ taken together form a carbonyl group;
R⁹ is selected from the group of halogen, OR¹⁰, SR¹⁰, NR¹⁰R¹¹, C₁-C₄ haloaliphatic, C₁-C₄ heteroaliphatic, and C₁-C₄ heterohaloaliphatic;
R¹⁰ and R¹¹ each independently is selected from the group of hydrogen, C₁-C₄ aliphatic, phenyl, and benzyl; and
n = 0 or 1.
2. (Original) A compound according to claim 1, wherein:
R¹ is hydrogen, F or Cl;

R^2 is selected from the group of F, Cl, Br, C_1 - C_4 alkyl, and C_1 - C_4 haloalkyl;

R^3 and R^4 each independently is selected from the group of hydrogen, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, and optionally substituted aryl;

R^5 and R^6 each independently is selected from the group of hydrogen, F, Cl, OR^{10} , C_1 - C_4 alkyl, and C_1 - C_4 haloalkyl ;

R^7 and R^8 each independently is selected from the group of hydrogen, F, Cl, C_1 - C_4 alkyl, and C_1 - C_4 haloalkyl;

R^9 is selected from the group of halogen, OR^{10} , C_1 - C_4 haloalkyl, C_1 - C_4 heteroalkyl, and C_1 - C_4 heterohaloalkyl;

R^{10} is hydrogen; and

$n = 0$ or 1 .

3. (Original) A compound according to claim 1, wherein:

R^1 is hydrogen;

R^2 is selected from the group of Cl, Br, CH_3 , C_2H_5 , CF_3 , C_2F_5 , and CF_2Cl ;

R^3 and R^4 each independently is selected from the group of hydrogen, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, C_1 - C_4 heteroalkyl, and optionally substituted aryl;

R^5 and R^6 each independently is selected from the group of hydrogen, F, Cl, OR^{10} , C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, and C_1 - C_4 heteroalkyl;

R^7 and R^8 each independently is selected from the group of hydrogen, F, Cl, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, and C_1 - C_4 heteroalkyl ;

R^9 is selected from the group of halogen, OR^{10} , C_1 - C_4 haloalkyl, C_1 - C_4 heteroalkyl, and C_1 - C_4 heterohaloalkyl;

R^{10} is hydrogen or C_1 - C_4 alkyl; and

$n = 0$ or 1 .

4. (Original) A compound according to claim 1, wherein:

R^1 is hydrogen, F, Cl, or C_1 - C_3 alkyl ;

R^2 is selected from the group of hydrogen, F, Cl, Br, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, and C_1 - C_4 heteroalkyl ;

R^3 and R^4 each independently is selected from the group of hydrogen, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, C_1 - C_4 heteroalkyl, optionally substituted aryl and heteroaryl;

R^5 and R^6 each is hydrogen;

R^7 and R^8 each independently is hydrogen, C_1 - C_4 alkyl or C_1 - C_4 haloalkyl;

R^9 is OR^{10} ;

R^{10} is hydrogen or C_1 - C_4 alkyl ;

and $n=0$.

5. (Original) A compound according to claim 4, wherein:

R^1 is hydrogen;

R^2 is selected from the group of Cl, CH_3 , C_2H_5 , CH_2F , CHF_2 , CF_3 , C_2F_5 , and CF_2Cl ;

R^3 and R^4 each independently is selected from the group of hydrogen and C_1 - C_4 alkyl;

R^7 and R^8 each independently is selected from the group of hydrogen, CH_3 , C_2H_5 ,

CF_3 , C_2F_5 and CF_2Cl ; and

R^9 is OH.

6. (Original) A compound according to claim 5, wherein:

R^2 is selected from the group of Cl, CH_2F , CHF_2 , CF_3 , C_2F_5 and CF_2Cl ;

R^3 and R^4 each independently is hydrogen or C_1 - C_2 alkyl; and

R^7 and R^8 each independently is selected from the group of hydrogen, CH_3 , CF_3 ,

C_2F_5 and CF_2Cl .

7. (Original) A compound according to claim 6, wherein:

R^2 is Cl, CH_2F , CHF_2 , CF_3 or CF_2Cl ;

R^3 and R^4 each is hydrogen or CH_3 ; and

R^7 and R^8 each independently is hydrogen, CH_3 , CF_3 or CF_2Cl .

8. (Original) A compound according to claim 7, wherein:

R^2 is Cl, CH_2F , CHF_2 , or CF_3 ;

R^3 and R^4 each is hydrogen or CH_3 ; and

R^7 and R^8 each independently is hydrogen, CH_3 or CF_3 .

9. (Original) A compound according to claim 1, wherein the compound is an androgen receptor modulator.

10. (Previously presented) A compound according to claim 1, wherein the compound is an androgen receptor antagonist.

11. (Previously presented) A compound according claim 1, wherein the compound is an androgen receptor agonist.

12. (Previously presented) A compound according claim 1, wherein the compound is an androgen receptor partial agonist.

13. (Currently amended) A compound according to claim 1, wherein the compound is selected from the group of:

(*R*)-6-(2-(2, 2, 2-Trifluoroethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **101**);

(*R*)-6-(2-Phenylthiomethyl-1-pyrrolidinyl)-4-trifluoromethyl-2 (1*H*)-quinolinone (Compound **102**);

(*R*)-6-(2-(2, 2, 2-Trifluoroethyl)-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **103**);

(*R*)-6-(2-Benzylloxymethyl)-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **104**);

(*R*)-6-(2-Diethylaminomethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **105**);

6-(2(*R*)-Hydroxymethyl-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **106**);

6-(2(*R*)-Fluoromethyl-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **107**);

6-(2(*R*)-Fluoromethyl-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **108**);

6-(2(*R*)-Difluoromethyl-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **109**);

6-(2(*R*)-Fluoromethyl-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **110**);

6-(2(*R*)-(1(*R*)-Hydroxy-2,2,2-trifluoroethyl)-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **111**);

6-(2(*R*)-(1(*S*)-Hydroxy-2,2,2-trifluoroethyl)-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **112**);

6-(2(*R*)-(1(*S*)-Hydroxy-2,2,2-trifluoroethyl)-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **113**);

6-(2(*R*)-(1(*R*)-Hydroxy-2,2,2-trifluoroethyl)-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **114**);

6-(2(R)-(2,2,2-Trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 115);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-hydroxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 116);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-hydroxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 117);

6-(2(R)-(1(S)-Fluoro-2,2,2-trifluoroethyl)-4(S)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 118);

6-(2(R)-(1(R)-Fluoro-2,2,2-trifluoroethyl)-4(S)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 119);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 120);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 121);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 122);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 123);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 124);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 125);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 126);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 127);

4-Chloro-6-(2(R)-(1(S)-hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 128);

4-Chloro-6-(2(R)-(1(R)-hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 129);

4-Chloro-6-(2(R)-(1(S)-hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 130);

4-Chloro-6-(2(R)-(1(R)-hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 131);

6-(2(R)-(1(R)-Hydroxy-1-methyl-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 132);

6-(2(R)-(1(S)-Hydroxy-1-methyl-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 133);

6-(2(R)-(1-Hydroxy-1-trifluoromethyl-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 134);

6-(2(R)-(1(R)-Ethoxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 135);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-propyl-2(1H)-quinolinone (Compound 136);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-propyl-2(1H)-quinolinone (Compound 137);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-ethyl-2(1H)-quinolinone (Compound 138);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-ethyl-2(1H)-quinolinone (Compound 139);

6-(2(R)-Chloromethyl-5-(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 140);

6-(2(R)-Chloromethyl-5-(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 141);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 142);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 143);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 144);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 145);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 146);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 147);

6-(2(R)-(1(R), 2-Dihydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 148);

6-(2(R)-(1(S), 2-dihydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 149);

6-(2(R)-(1(R)-Hydroxybenzyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 150);

6-(2(R)-(1(S)-Hydroxybenzyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 151);

6-(2(R)-(1(R)-Hydroxybenzyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 152);

6-(2(R)-((2-1,3-Dithianyl)-1(R)-hydroxymethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 153);

6-(2(R)-((2-1,3-Dithianyl)-1(S)-hydroxymethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 154);

6-(2(R)-Difluoromethyl-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 155);

6-(2(R)-Fluoromethyl-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 156);

6-(2(R)-Hydroxymethyl-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 157);

6-(2(R)-Hydroxymethyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 158);

6-(2(R)-(1(S)-Hydroxyethyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 159);

6-(2(R)-(1(R)-Hydroxyethyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 160);

6-(2(R)-Trifluoroacetyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 161);

6-(2(R)-(1(S)-Hydroxypentyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 162);

6-(2(R)-(1(R)-Hydroxypentyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 163);

6-(2(R)-(1(R)-Hydroxyethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 164);

6-(2(R)-(1-Hydroxy-1-methylethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 165);

6-(2(R)-(1(S)-Hydroxy-1-cyclopropylmethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 166);

6-(2(R)-(1(R)-Hydroxy-1-cyclopropylmethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 167);

6-(2(R)-(1(S)-Hydroxypropyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 168),

6-(2(R)-(1(R)-Hydroxypropyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 169);

6-(2(R)-(1(R)-Hydroxypropyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 170);

6-(2(R)-(1(S)-Hydroxypropyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 171);

6-(2(R)-(1(R)-Hydroxy-2-methylpropyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 172);

6-(2(R)-(1(R)-Hydroxy-2-acetoxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 173);

6-(2(R)-(1(R)-Hydroxy-2-chloroethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 174);

6-(2(R)-(2-Hydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 175);

6-(2(R)-(2-Oxoethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 176);

6-(2(R)-Acetyloxymethyl-6(R)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 177);

6-(2(R)-(1(R)-Chloro-2-hydroxymethylethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 178);

6-(2(*R*)-Hydroxymethyl-6(*R*)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **179**);

6-(2(*R*)-(1(*R*)-Hydroxy-2,2,2-trifluoroethyl)-6(*R*)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **180**);

6-(2(*R*)-(1(*S*)-Hydroxy-2,2,2-trifluoroethyl)-5(*R*)-methyl-1-pyrrolidinyl)-4-chlorodifluoromethyl-2(1*H*)-quinolinone (Compound **181**);

6-(2(*R*)-(1(*R*)-Hydroxy-2,2,2-trifluoroethyl)-5(*R*)-methyl-1-pyrrolidinyl)-4-chlorodifluoromethyl-2(1*H*)-quinolinone (Compound **182**);

6-(2(*R*)-(1(*S*)-Hydroxy-2,2,2-trifluoroethyl)-5(*S*)-methyl-1-pyrrolidinyl)-4-chlorodifluoromethyl-2(1*H*)-quinolinone (Compound **183**);

6-(2(*R*)-(2(*S*)-Hydroxy-3,3,3-trifluoropropyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **184**);

6-(2(*R*)-(2(*R*)-hydroxy-3,3,3-trifluoropropyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **185**);

6-(2(*R*)-Acetyloxymethyl-6(*R*)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **186**);

6-(2(*R*)-(2-Hydroxyethyl)-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **187**);


6-(2(*R*)-(2-Hydroxyethyl)-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **188**);

6-(2(*R*)-Acetyloxyethyl-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **189**);

6-(2(*R*)-(1(*S*)-Hydroxy-2,2,2-trifluoroethyl)-4(*S*)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **190**); and

6-(2(*R*)-(1(*R*)-Hydroxy-2,2,2-trifluoroethyl)-4(*S*)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound **191**).

14. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound of the formula:



wherein:

R¹ is hydrogen, F, Cl, or C₁-C₃ aliphatic;

R² is selected from the group of hydrogen, F, Cl, Br, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic;

R³ and R⁴ each independently is selected from the group of hydrogen, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, C₁-C₄ heteroaliphatic, optionally substituted aryl and heteroaryl ;

R⁵ and R⁶ each independently is selected from the group of hydrogen, F, Cl, OR¹⁰, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic;

R⁷ and R⁸ each independently is selected from the group of hydrogen, F, Cl, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic; or

R⁷ and R⁸ taken together form a carbonyl group;

R⁹ is selected from the group of halogen, OR¹⁰, SR¹⁰, NR¹⁰R¹¹, C₁-C₄ haloaliphatic, C₁-C₄ heteroaliphatic, and C₁-C₄ heterohaloaliphatic;

R¹⁰ and R¹¹ each independently is selected from the group of hydrogen, C₁-C₄ aliphatic, phenyl, and benzyl; and

n = 0 or 1.

15. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound according to claim 2.

16. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound according to claim 7.

17. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound according to claim 8.

18. (Previously presented) A pharmaceutical composition according to claim 14, wherein the compound is an androgen receptor modulator.

19. (Original) A pharmaceutical composition according to claim 18, wherein the compound is an androgen receptor antagonist.

20. (Original) A pharmaceutical composition according to claim 18, wherein the compound is an androgen receptor agonist.

21. (Original) A pharmaceutical composition according to claim 18, wherein the compound is an androgen receptor partial agonist.

22. (Currently amended) A pharmaceutical composition according to claim 14, wherein the compound is selected from the group of:

(*R*)-6-(2-(2, 2, 2-Trifluoroethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 101);

(*R*)-6-(2-Phenylthiomethyl-1-pyrrolidinyl)-4-trifluoromethyl-2 (1*H*)-quinolinone (Compound 102);

(*R*)-6-(2-(2, 2, 2-Trifluoroethyl)-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 103);

(*R*)-6-(2-Benzoyloxymethyl)-1-piperidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 104);

(*R*)-6-(2-Diethylaminomethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 105);

6-(2(*R*)-Hydroxymethyl-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 106);

6-(2(*R*)-Fluoromethyl-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 107);

6-(2(*R*)-Fluoromethyl-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 108);

6-(2(*R*)-Difluoromethyl-5(*R*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 109);

6-(2(*R*)-Fluoromethyl-5(*S*)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1*H*)-quinolinone (Compound 110);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 111);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 112);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 113);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 114);

6-(2(R)-(2,2,2-Trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 115);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-hydroxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 116);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-hydroxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 117);

6-(2(R)-(1(S)-Fluoro-2,2,2-trifluoroethyl)-4(S)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 118);

6-(2(R)-(1(R)-Fluoro-2,2,2-trifluoroethyl)-4(S)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 119);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 120);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 121);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 122);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 123);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 124);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(R)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 125);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 126);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-methoxy-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 127);

4-Chloro-6-(2(R)-(1(S)-hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 128);

4-Chloro-6-(2(R)-(1(R)-hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 129);

4-Chloro-6-(2(R)-(1(S)-hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 130);

4-Chloro-6-(2(R)-(1(R)-hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-2(1H)-quinolinone (Compound 131);

6-(2(R)-(1(R)-Hydroxy-1-methyl-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 132);

6-(2(R)-(1(S)-Hydroxy-1-methyl-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 133);

6-(2(R)-(1-Hydroxy-1-trifluoromethyl-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 134);

6-(2(R)-(1(R)-Ethoxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 135);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-propyl-2(1H)-quinolinone (Compound 136);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-propyl-2(1H)-quinolinone (Compound 137);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-ethyl-2(1H)-quinolinone (Compound 138);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-1-pyrrolidinyl)-4-ethyl-2(1H)-quinolinone (Compound 139);

6-(2(R)-Chloromethyl-5-(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 140);

6-(2(R)-Chloromethyl-5-(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 141);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 142);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 143);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 144);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 145);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 146);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-phenyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 147);

6-(2(R)-(1(R), 2-Dihydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 148);

6-(2(R)-(1(S), 2-dihydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 149);

6-(2(R)-(1(R)-Hydroxybenzyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 150);

6-(2(R)-(1(S)-Hydroxybenzyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 151);

6-(2(R)-(1(R)-Hydroxybenzyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 152);

6-(2(R)-((2-1,3-Dithianyl)-1(R)-hydroxymethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 153);

6-(2(R)-((2-1,3-Dithianyl)-1(S)-hydroxymethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 154);

6-(2(R)-Difluoromethyl-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 155);

6-(2(R)-Fluoromethyl-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 156);

6-(2(R)-Hydroxymethyl-5,5-dimethyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 157);

6-(2(R)-Hydroxymethyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 158);

6-(2(R)-(1(S)-Hydroxyethyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 159);

6-(2(R)-(1(R)-Hydroxyethyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 160);

6-(2(R)-Trifluoroacetyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 161);

6-(2(R)-(1(S)-Hydroxypentyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 162);

6-(2(R)-(1(R)-Hydroxypentyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 163);

6-(2(R)-(1(R)-Hydroxyethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 164);

6-(2(R)-(1-Hydroxy-1-methylethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl
2(1H)-quinolinone (Compound 165);

6-(2(R)-(1(S)-Hydroxy-1-cyclopropylmethyl)-5(R)-methyl-1-pyrrolidinyl)-4-
trifluoromethyl-2(1H)-quinolinone (Compound 166);

6-(2(R)-(1(R)-Hydroxy-1-cyclopropylmethyl)-5(R)-methyl-1-pyrrolidinyl)-4-
trifluoromethyl-2(1H)-quinolinone (Compound 167);

6-(2(R)-(1(S)-Hydroxypropyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 168);

6-(2(R)-(1(R)-Hydroxypropyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 169);

6-(2(R)-(1(R)-Hydroxypropyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 170);

6-(2(R)-(1(S)-Hydroxypropyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 171);

6-(2(R)-(1(R)-Hydroxy-2-methylpropyl)-5(R)-methyl-1-pyrrolidinyl)-4-
trifluoromethyl-2(1H)-quinolinone (Compound 172);

6-(2(R)-(1(R)-Hydroxy-2-acetoxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 173);

6-(2(R)-(1(R)-Hydroxy-2-chloroethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 174);

6-(2(R)-(2-Hydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 175);

6-(2(R)-(2-Oxoethyl)-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone
(Compound 176);

6-(2(R)-Acetyloxymethyl-6(R)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 177);

6-(2(R)-(1(R)-Chloro-2-hydroxyethyl)-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 178);

6-(2(R)-Hydroxymethyl-6(R)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 179);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-6(R)-methyl-1-piperidinyl)-4-
trifluoromethyl-2(1H)-quinolinone (Compound 180);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-
chlorodifluoromethyl-2(1H)-quinolinone (Compound 181);

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-5(R)-methyl-1-pyrrolidinyl)-4-
chlorodifluoromethyl-2(1H)-quinolinone (Compound 182);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-5(S)-methyl-1-pyrrolidinyl)-4-
chlorodifluoromethyl-2(1H)-quinolinone (Compound 183);

6-(2(R)-(2(S)-Hydroxy-3,3,3-trifluoropropyl)-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 184);

6-(2(R)-(2(R)-hydroxy-3,3,3-trifluoropropyl)-1-pyrrolidinyl)-4-trifluoromethyl-
2(1H)-quinolinone (Compound 185);

6-(2(R)-Acetyloxymethyl-6(R)-methyl-1-piperidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 186);

6-(2(R)-(2-Hydroxyethyl)-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 187);

6-(2(R)-(2-Hydroxyethyl)-5(S)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 188);


6-(2(R)-Acetyloxyethyl-5(R)-methyl-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-
quinolinone (Compound 189);

6-(2(R)-(1(S)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-fluoro-1-pyrrolidinyl)-4-
trifluoromethyl-2(1H)-quinolinone (Compound 190); and

6-(2(R)-(1(R)-Hydroxy-2,2,2-trifluoroethyl)-4(S)-fluoro-1-pyrrolidinyl)-4-trifluoromethyl-2(1H)-quinolinone (Compound 191).

23. (Original) A pharmaceutical composition according to claim 14, wherein the composition is formulated for oral, topical, intravenous, suppository or parenteral administration.

24. (Original) A pharmaceutical agent comprising a pharmaceutically acceptable carrier and a compound of the formula:



(I)

wherein:

R¹ is hydrogen, F, Cl, or C₁-C₃ aliphatic;

R² is selected from the group of hydrogen, F, Cl, Br, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic;

R³ and R⁴ each independently is selected from the group of hydrogen, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, C₁-C₄ heteroaliphatic, optionally substituted aryl and heteroaryl ;

R⁵ and R⁶ each independently is selected from the group of hydrogen, F, Cl, OR¹⁰, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic;

R⁷ and R⁸ each independently is selected from the group of hydrogen, F, Cl, C₁-C₄ aliphatic, C₁-C₄ haloaliphatic, and C₁-C₄ heteroaliphatic; or

R⁷ and R⁸ taken together form a carbonyl group;

R⁹ is selected from the group of halogen, OR¹⁰, SR¹⁰, NR¹⁰R¹¹, C₁-C₄ haloaliphatic, C₁-C₄ heteroaliphatic, and C₁-C₄ heterohaloaliphatic;

R¹⁰ and R¹¹ each independently is selected from the group of hydrogen, C₁-C₄ aliphatic, phenyl, and benzyl; and

n = 0 or 1.

25. (Original) A method of modulating androgen receptor activity in a mammal, comprising administering to said mammal a pharmaceutically effective amount of a compound according to claim 1.

26. (Original) A method for modulating a process in a mammal mediated by androgen receptor, comprising administering to said mammal a pharmaceutically effective amount of a compound according to claim 1.

27. (Previously presented) A method according to claim 25, wherein said mammal has a condition mediated by an androgen receptor.

28. (Previously presented) A method according to claim 27, wherein said condition is selected from the group of acne, male-pattern baldness, impotence, sexual dysfunction, wasting diseases, frailty, hirsutism, hypogonadism, prostatic hyperplasia, osteoporosis, cancer cachexia and hormone-dependent cancers.

29. (Previously presented) A method according to claim 27, wherein said condition is susceptible to treatment with a therapy selected from the group of male hormone replacement therapy, female androgen replacement therapy and stimulation of hematopoiesis.

30. (Previously presented) A compound according to claim 2, wherein the compound is an androgen receptor antagonist.

31. (Previously presented) A compound according claim 2, wherein the compound is an androgen receptor agonist.

32. (Previously presented) A compound according claim 2, wherein the compound is an androgen receptor partial agonist.

33. (Previously presented) A pharmaceutical composition according to claim 15, wherein the compound is an androgen receptor modulator.

34. (Previously presented) A pharmaceutical composition according to claim 33, wherein the compound is an androgen receptor antagonist.

35. (Previously presented) A pharmaceutical composition according to claim 33, wherein the compound is an androgen receptor agonist.

36. (Previously presented) A pharmaceutical composition according to claim 33, wherein the compound is an androgen receptor partial agonist.

37. (Previously presented) A pharmaceutical composition according to claim 16, wherein the compound is an androgen receptor modulator.

38. (Previously presented) A pharmaceutical composition according to claim 37, wherein the compound is an androgen receptor antagonist.

39. (Previously presented) A pharmaceutical composition according to claim 37, wherein the compound is an androgen receptor agonist.

40. (Previously presented) A pharmaceutical composition according to claim 37, wherein the compound is an androgen receptor partial agonist.

41. (Previously presented) A pharmaceutical composition according to claim 17, wherein the compound is an androgen receptor modulator.

42. (Previously presented) A pharmaceutical composition according to claim 41, wherein the compound is an androgen receptor antagonist.

43. (Previously presented) A pharmaceutical composition according to claim 41, wherein the compound is an androgen receptor agonist.

44. (Previously presented) A pharmaceutical composition according to claim 41, wherein the compound is an androgen receptor partial agonist.